



## ***AXELENT STOREROOM WALLS***

- AS SECURE AS YOU CAN GET



## AXELENT STOREROOM WALLS

# FAST, FLEXIBLE AND SECURE

Axelent storeroom walls are the ideal solution for secure, flexible and versatile storage in attics, cellars or other storage areas. The systems are easy to add to as they are based on standard components. The various components are always held in stock as well, ensuring rapid deliveries.



### Axelent's storeroom walls are available in three versions:

#### **Storeroom wall F**

- for normal conditions.

#### **Storeroom wall FK**

- to meet high demands for security and stability.

#### **Storeroom wall FP**

- for high security and stability, and for keeping the contents shut off from view.

No matter which system you choose, the door designs have been reinforced and the solution can be supplied with a roof in locations where the ceiling is higher than 3.2 metres. The various systems can be combined with each other when required. We can also supply numbered plates for the storerooms.


The standard height for F and FK is 2250 mm, while for FP the standard height is 2000 mm. If necessary, the F and FK systems can be cut down to the desired height. The lowest height to which they can be cut is 1870 mm, which is governed by the dimensions of the doors.

## AXELENT GIVES YOU MORE...



#### **Flexibility**

The systems can be combined with each other and can easily be adapted according to the construction of the building (ventilation ducts, sloping roofs, etc.).



#### **Instant drawings - SnapperWorks™**

Axelent's in-house and extremely user-friendly SnapperWorks™ application instantly provides you with a clear picture of your storage system, including material specifications.



#### **Speed**

All of our storeroom walls are held in stock, which means that we can deliver your walls immediately.



#### **Security**

For increased strength and security, all of our storeroom walls, F, FK and FP, have reinforced door designs.



#### **Assembly on site**

Axelent also offers assembly on site by our own fitters where this is required.



#### **Accurate, versatile delivery - X-pack™**

Using Axelent's in-house packaging system, X-pack™, your walls are delivered on specially adapted pallets, attractively and neatly wrapped in plastic, complete with assembly instructions. This means that they can be assembled quickly and easily, as well as making the goods easy to unload and move to the site where they are to be installed.

## STOREROOM WALL F



## STOREROOM WALL FK



### STOREROOM WALL F

## STOREROOM WALLS FOR NORMAL CONDITIONS.

- With robust tubular construction for the doors.
- Can be combined with the FK and FP systems.
- Can be cut and adapted to the existing building design.
- Can be supplied with a roof at heights above 3.2 metres.
- The walls are painted in RAL 9018.
- Wooden shelves and numbered plates (see page 5) are available as accessories.



A specially adapted wooden shelf with a clothes rack is available as an accessory for Axelent's F, FK and FP storeroom walls. The shelf is secured to the walls using a bracket.  
**Dimensions: 1200x400 mm.**  
**Item number: 30-6120**

### STOREROOM WALL FK

## WHEN HIGH DEMANDS FOR SECURITY AND STABILITY ARE STIPULATED.

- With extra robust tubular design in both doors and walls.
- Can be combined with the F and FP systems.
- Can be cut and adapted to the existing building design.
- Can be supplied with a roof at heights above 3.2 metres.
- The walls are painted in RAL 9018.
- Numbered plates and wooden shelves are available as accessories.



Numbered plates are also available as accessories to Axelent's F, FK and FP storeroom walls. Specify the required number(s).

#### PRODUCT DESCRIPTION - F

##### Materials & design Dimensions (mm)

Tubular steel frame, wall	
Vertical tubes	19x19
Horizontal tubes	15x15

Tubular steel frame, door	
Vertical tubes	30x20
Horizontal tubes	25x15

Steel wire mesh	
Vertical wires	Ø 3,0
Horizontal wires	Ø 2,5

Mesh width	50x65
------------	-------

Opening measurements, door	
30-7075	1870x710
30-7090	1870x860

#### DIMENSIONS - F

Item no. ....	Height (mm).....	Width (mm)
Wall section .....	30-2020..... 2250.....	200
	30-2025..... 2250.....	250
	30-2035..... 2250.....	350
	30-2040..... 2250.....	400
	30-2055..... 2250.....	550
	30-2060..... 2250.....	600
	30-2080..... 2250.....	800
	30-2100..... 2250.....	1000
	30-2110..... 2250.....	1100
	30-2120..... 2250.....	1200
	30-2130..... 2250.....	1300
	30-2140..... 2250.....	1400
	30-2150..... 2250.....	1500
Gauge block .....	30-2002..... 2250.....	20
Door.....	30-7075..... 2250.....	750
	30-7090..... 2250.....	900

▶ When ordering doors, specify whether the door is to be hung on the right (H) or left (V). Indicate this after the item number.

#### PRODUCT DESCRIPTION - FK

##### Materials & design Dimensions (mm)

Tubular steel frame, wall	
Vertical tubes	30x20
Horizontal tubes	25x15

Tubular steel frame, door	
Vertical tubes	40x20
Horizontal tubes	35x15

Steel wire mesh	
Vertical wires	Ø 5,0
Horizontal wires	Ø 4,0

Mesh width	50x65
------------	-------

Opening measurements, door	
30-7075	1870x710
30-7090	1870x860

#### DIMENSIONS - FK

Item no. ....	Height (mm).....	Width (mm)
Wall section .....	40-2020..... 2250.....	200
	40-2025..... 2250.....	250
	40-2035..... 2250.....	350
	40-2040..... 2250.....	400
	40-2055..... 2250.....	550
	40-2060..... 2250.....	600
	40-2080..... 2250.....	800
	40-2100..... 2250.....	1000
	40-2110..... 2250.....	1100
	40-2120..... 2250.....	1200
Gauge block .....	40-2002..... 2250.....	20
Door.....	40-7075..... 2250.....	750
	40-7090..... 2250.....	900

▶ When ordering doors, specify whether the door is to be hung on the right (H) or left (V). Indicate this after the item number.

## STOREROOM WALL FP



## STOREROOM WALL FP

### WHEN HIGH DEMANDS ARE STIPULATED FOR SECURITY AND STABILITY, AS WELL AS FOR KEEPING THE CONTENTS SHUT OFF FROM VIEW.

- With extra robust tubular construction in the doors. Walls made of profiled sheet.
- Can be combined with the F and FK systems.
- Can be supplied with a roof at heights above 3.2 metres.
- The doors are painted in RAL 9018. The walls are Sendzimir galvanised.
- Numbered plates and wooden shelves are available as accessories (see previous double-spread).

#### PRODUCT DESCRIPTION - FP

##### Materials & design Dimensions (mm)

Steel wall, profiled sheet  
 Depth of profiling ..... 30  
 Thickness of sheet ..... 0,7

Tubular steel frame, door  
 Vertical tubes ..... 40x20  
 Horizontal tubes ..... 35x15

#### DIMENSIONS - FP


##### Item no. .... Height (mm)..... Width (mm)

Wall section .....50-2020..... 2000.....200  
 50-2040..... 2000.....400  
 Gauge block .....50-2019..... 2000.....0-100  
 Door.....50-7090..... 2000.....900

### “Axelent has a very versatile and easy-to-use storeroom wall system”

“Axelent has delivered and installed the storeroom walls in our most recent construction project, a block of flats here in Majorna, Gothenburg. We used their FK walls as the basic system, and the F walls as partitions. Axelent also took care of the installation, which was completed quickly and smoothly in all respects. Quite simply, Axelent is a professional supplier.”

**Ulf Nylén, Site Manager,  
 JM Bygg AB Gothenburg**



### “We needed a storage system that was both secure and functional”

“We were put in touch with Axelent via an architect who recommended their storeroom walls. Our most recent project is the construction of 176 apartments here in Copenhagen, with each apartment having its own storeroom. Axelent’s storeroom walls are versatile and easy to adapt, for example when it comes to ventilation ducts. We used the stable FP walls, which also ensure that the contents are shut off from view. Axelent’s own fitters are very efficient, and all in all we are very satisfied with Axelent as a supplier.”

**Simon Keinicke Bastved, Project Manager,  
 E. Pihl og Søn A.S. Copenhagen**



### Self-assembly? The customer’s choice

Axelent has supplied storeroom walls to the Gamla Lejonet tenant-owners’ society in Värnamo. This encompasses 14 apartments, each with its own storeroom. These storerooms only use Axelent’s F walls, as they were sufficient to cover the customer’s requirements and needs. The customer assembled the storerooms itself, using the detailed assembly instructions that are supplied with each delivery.

